



5-14-2020

## Draft Genome Sequence of *Klebsiella pneumoniae* UMB7779, Isolated from the Female Urinary Tract

Pavan Bhimalli  
*Loyola University Chicago*

Taylor Miller-Ensminger  
*Loyola University Chicago*

Adelina Voukadinova  
*Loyola University Chicago*

Alan J. Wolfe  
*Loyola University Chicago*, [awolfe@luc.edu](mailto:awolfe@luc.edu)

Catherine Putonti  
*Loyola University Chicago*, [cputonti@luc.edu](mailto:cputonti@luc.edu)

Follow this and additional works at: [https://ecommons.luc.edu/bioinformatics\\_facpub](https://ecommons.luc.edu/bioinformatics_facpub)



Part of the [Bioinformatics Commons](#), and the [Biology Commons](#)

### Recommended Citation

Bhimalli, Pavan; Miller-Ensminger, Taylor; Voukadinova, Adelina; Wolfe, Alan J.; and Putonti, Catherine. Draft Genome Sequence of *Klebsiella pneumoniae* UMB7779, Isolated from the Female Urinary Tract. *Microbiology Resource Announcements*, 9, : , 2020. Retrieved from Loyola eCommons, Bioinformatics Faculty Publications, <http://dx.doi.org/10.1128/MRA.00396-20>

This Article is brought to you for free and open access by the Faculty Publications and Other Works by Department at Loyola eCommons. It has been accepted for inclusion in Bioinformatics Faculty Publications by an authorized administrator of Loyola eCommons. For more information, please contact [ecommons@luc.edu](mailto:ecommons@luc.edu).



This work is licensed under a [Creative Commons Attribution 4.0 International License](#).  
© Bhimalli et al., 2020.



# Draft Genome Sequence of *Klebsiella pneumoniae* UMB7779, Isolated from the Female Urinary Tract

Pavan Bhimalli,<sup>a</sup> Taylor Miller-Ensminger,<sup>b</sup> Adelina Voukadinova,<sup>b</sup> Alan J. Wolfe,<sup>c</sup>  Catherine Putonti<sup>a,b,c,d</sup>

<sup>a</sup>Department of Biology, Loyola University Chicago, Chicago, Illinois, USA

<sup>b</sup>Bioinformatics Program, Loyola University Chicago, Chicago, Illinois, USA

<sup>c</sup>Department of Microbiology and Immunology, Stritch School of Medicine, Loyola University Chicago, Maywood, Illinois, USA

<sup>d</sup>Department of Computer Science, Loyola University Chicago, Chicago, Illinois, USA

**ABSTRACT** *Klebsiella pneumoniae* is a pathogenic bacterium commonly responsible for urinary tract infections (UTIs). Here, we report the draft genome sequence of *K. pneumoniae* strain UMB7779, isolated from catheterized urine of a woman with a recurrent UTI.

*Klebsiella pneumoniae* is an opportunistic pathogen that can colonize mucosal surfaces and can be community or hospital acquired (1). It can cause pneumonia, septicemias, soft tissue infections, and urinary tract infections (UTIs) (1–3). In fact, the urinary tract is the most common site of infection for this species, and *K. pneumoniae* accounts for 2 to 6% of hospital-acquired UTIs and 4.3 to 7% of community-acquired UTIs (4). This species is known to be problematic in a clinical setting, as it is resistant to a wide array of antibiotics and capable of evading host immune responses (5, 6). We recently isolated *K. pneumoniae* UMB7779 from a catheterized urine sample from a female patient with a recurrent UTI.

*K. pneumoniae* UMB7779 was isolated from a previously approved institutional review board (IRB) study (University of California, San Diego, IRB no. 170077AW) using the expanded quantitative urinary culture (EQUC) protocol (7). The sample was collected from a patient at the Women's Pelvic Medicine Center at the University of California, San Diego, in August 2017. We used matrix-assisted laser desorption ionization–time of flight (MALDI-TOF) mass spectrometry to determine the genus and species of our isolate, following a protocol previously described (7), prior to storage at –80°C. Using aseptic techniques, a sterile inoculation loop of the sample was streaked onto a Columbia nalidixic acid (CNA) agar plate using the quadrant streak method. The plate was incubated for 24 h at 35°C with 5% CO<sub>2</sub>. A single colony was picked and grown overnight in LB liquid medium, and DNA was extracted using the Qiagen DNeasy blood and tissue kit. Modifications were made from the kit's Gram-positive protocol. Two hundred thirty microliters of lysis buffer (180 μl of 20 mM Tris-Cl, 2 mM sodium EDTA, and 1.2% Triton X-100 and 50 μl of lysozyme) was added to the pellet. Step 5 of the protocol was also amended; the sample was incubated at 56°C for only 10 min. DNA was quantified using the Qubit fluorometer. The extracted DNA was sent to the Microbial Genomic Sequencing Center (MiGS) at the University of Pittsburgh for sequencing. The DNA was fragmented using an Illumina tagmentation enzyme, and indices were attached via PCR. The library was sequenced using an Illumina NextSeq 550 flow cell. This produced 2,217,322 pairs of 150-bp reads. Our raw reads were then trimmed using Sickle v1.33 (<https://github.com/najoshi/sickle>) and assembled using SPAdes v3.13.0 with the “only-assembler” option for k values of 55, 77, 99, and 127 (8). The genome coverage was calculated using BBMap v38.47 (<https://sourceforge.net/projects/bbmap/>). PATRIC v3.6.3 and the NCBI Prokaryotic Genome Annotation Pipeline

**Citation** Bhimalli P, Miller-Ensminger T, Voukadinova A, Wolfe AJ, Putonti C. 2020. Draft genome sequence of *Klebsiella pneumoniae* UMB7779, isolated from the female urinary tract. *Microbiol Resour Announc* 9:e00396-20. <https://doi.org/10.1128/MRA.00396-20>.

**Editor** J. Cameron Thrash, University of Southern California

**Copyright** © 2020 Bhimalli et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Catherine Putonti, [cputonti@luc.edu](mailto:cputonti@luc.edu).

**Received** 12 April 2020

**Accepted** 22 April 2020

**Published** 14 May 2020

(PGAP) v4.11 were used to annotate the genome sequences (9, 10). Default settings were used for all software unless noted otherwise.

The *K. pneumoniae* UMB7779 draft genome is 5,571,379 bp assembled in 105 contigs. The GC content is 57.2%, with a genome coverage of 97 $\times$  and an  $N_{50}$  score of 136,300 bp. PGAP predicted 5,383 protein-coding regions, 5 rRNA operons, and 79 tRNAs. PATRIC annotations identified genes associated with resistance to tetracycline, with several antibiotic susceptibilities predicted. Future analysis of *K. pneumoniae* will further expand our knowledge of this pathogen, allowing us to better understand the female urobiome and future treatment options.

**Data availability.** This whole-genome shotgun (WGS) project has been deposited in GenBank under accession no. [JAAUVZ000000000](https://www.ncbi.nlm.nih.gov/nuccore/JAAUVZ000000000). The version described in this paper is the first version, JAAUVZ010000000. The raw sequencing reads have been deposited in the SRA under accession no. [SRR11441030](https://www.ncbi.nlm.nih.gov/sra/SRR11441030).

## ACKNOWLEDGMENTS

This work was conducted as part of the Bacterial Genomics course at Loyola University Chicago's Department of Biology. For prior patient recruitment, we acknowledge the Loyola Urinary Education and Research Collaborative (LUEREC) and the patients who provided the samples for this study.

## REFERENCES

- Podschun R, Ullmann U. 1998. *Klebsiella* spp. as nosocomial pathogens: epidemiology, taxonomy, typing methods, and pathogenicity factors. *Clin Microbiol Rev* 11:589–603. <https://doi.org/10.1128/CMR.11.4.589>.
- Clegg S, Murphy CN. 2016. Epidemiology and virulence of *Klebsiella pneumoniae*. *Microbiol Spectr* 4:UTI-0005-2012. <https://doi.org/10.1128/microbiolspec.UTI-0005-2012>.
- Flores-Mireles AL, Walker JN, Caparon M, Hultgren SJ. 2015. Urinary tract infections: epidemiology, mechanisms of infection and treatment options. *Nat Rev Microbiol* 13:269–284. <https://doi.org/10.1038/nrmicro3432>.
- Paczosa MK, Meccas J. 2016. *Klebsiella pneumoniae*: going on the offense with a strong defense. *Microbiol Mol Biol Rev* 80:629–661. <https://doi.org/10.1128/MMBR.00078-15>.
- Navon-Venezia S, Kondratyeva K, Carattoli A. 2017. *Klebsiella pneumoniae*: a major worldwide source and shuttle for antibiotic resistance. *FEMS Microbiol Rev* 41:252–275. <https://doi.org/10.1093/femsre/fux013>.
- Bengoechea JA, Sa Pessoa J. 2019. *Klebsiella pneumoniae* infection biology: living to counteract host defences. *FEMS Microbiol Rev* 43:123–144. <https://doi.org/10.1093/femsre/fuy043>.
- Hilt EE, McKinley K, Pearce MM, Rosenfeld AB, Zilliox MJ, Mueller ER, Brubaker L, Gai X, Wolfe AJ, Schreckenberger PC. 2014. Urine is not sterile: use of enhanced urine culture techniques to detect resident bacterial flora in the adult female bladder. *J Clin Microbiol* 52:871–876. <https://doi.org/10.1128/JCM.02876-13>.
- Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *J Comput Biol* 19:455–477. <https://doi.org/10.1089/cmb.2012.0021>.
- Wattam AR, Davis JJ, Assaf R, Boisvert S, Brettin T, Bun C, Conrad N, Dietrich EM, Disz T, Gabbard JL, Gerdes S, Henry CS, Kenyon RW, Machi D, Mao C, Nordberg EK, Olsen GJ, Murphy-Olson DE, Olson R, Overbeek R, Parrello B, Pusch GD, Shukla M, Vonstein V, Warren A, Xia F, Yoo H, Stevens RL. 2017. Improvements to PATRIC, the all-bacterial Bioinformatics Database and Analysis Resource Center. *Nucleic Acids Res* 45:D535–D542. <https://doi.org/10.1093/nar/gkw1017>.
- Tatusova T, DiCuccio M, Badretdin A, Chetvernin V, Nawrocki EP, Zaslavsky L, Lomsadze A, Pruitt KD, Borodovsky M, Ostell J. 2016. NCBI Prokaryotic Genome Annotation Pipeline. *Nucleic Acids Res* 44:6614–6624. <https://doi.org/10.1093/nar/gkw569>.